

# 田植同時処理機 散布目盛目安表

農林水産省登録 第24882号



**1キロ粒剤**

®は北興化学工業株式会社の登録商標

**注意** 散布目盛目安表は、散布の目安です。  
圃場によって条件が変わりますので、必ず試しまきを行い、目盛の微調整を行ってください。

## 【PSR(ヤンマー)散布目盛目安表】

条数	株数											
	37株	40株	43株	45株	50株	55株	60株	65株	70株	80株	85株	90株
4条	2.5	2.3	2.1	2.0	1.8	1.6	1.4	1.3	1.2	1.0	1.0	0.9
5条	3.2	2.9	2.7	2.6	2.3	2.0	1.9	1.7	1.6	1.3	1.2	1.2
6条	3.9	3.6	3.3	3.1	2.8	2.5	2.3	2.1	1.9	1.7	1.5	1.4
7条	4.6	4.2	3.9	3.7	3.3	3.0	2.7	2.5	2.3	2.0	1.8	1.7
8条	5.4	4.9	4.5	4.3	3.8	3.4	3.1	2.9	2.6	2.3	2.1	2.0

## 【GS2(共立)散布目盛目安表】

### 低速モード

#### GS2

条数/株数	40	50	60	70 *1
4条植え	5.1	4.6	4.1	3.6
5条植え	5.6	5.1	4.6	4.1
6条植え	6.6	5.6	5.1	4.6

#### GS2W

条数/株数	40	50	60	70 *1
7条植え	6.1	5.1	4.6	4.1
8条植え	6.6	5.6	4.6	4.1
10条植え	7.6	6.6	5.6	5.1

\*1 植付株数が70株の場合、田植え機の作業速度は0.9m/s以下で使用してください。

### 中速モード

#### GS2

条数/株数	40	50	60	70	80 *2	90 *3
4条植え	6.6	6.1	5.6	5.1	4.6	4.1
5条植え	7.1	6.6	6.1	5.6	5.1	4.6
6条植え	8.1	7.1	6.6	6.1	5.6	5.1

#### GS2W

条数/株数	40	50	60	70	80 *2	90 *3
7条植え	7.6	6.6	6.1	5.6	5.1	4.6
8条植え	8.1	7.1	6.1	5.6	5.6	5.1
10条植え	9.1	8.1	7.1	6.6	6.1	5.6

\*2 植付株数が80株の場合、田植え機の作業速度は1.3m/s以下で使用してください。

\*3 植付株数が90株の場合、田植え機の作業速度は1.0m/s以下で使用してください。

### 高速モード

#### GS2

条数/株数	40 *5	50 *5	60	70	80 *2	90 *4
4条植え	8.1	7.6	7.1	6.6	6.1	5.6
5条植え	8.6	8.1	7.6	7.1	6.6	6.1
6条植え	9.6	8.6	8.1	7.6	7.1	6.6

#### GS2W

条数/株数	40 *5	50 *5	60	70	80 *2	90 *4
7条植え	9.1	8.1	7.6	7.1	6.6	6.1
8条植え	9.6	8.6	7.6	7.1	7.1	6.6
10条植え	10.6	9.6	8.6	8.1	7.6	7.1

\*2 植付株数が80株の場合、田植え機の作業速度は1.3m/s以下で使用してください。

\*4 植付株数が90株の場合、田植え機の作業速度は1.5m/s以下で使用してください。

\*5 植付株数が60株未満の場合、中速モードで使用してください。

※指定作業速度を超えて作業すると、散布機のシャッターが開いたままとなり、適正な散布ができません。

★田植機の作業速度が ~1.0 m/s までの場合・・・「低速」モード

★田植機の作業速度が1.0~1.5 m/s までの場合・・・「中速」モード

★田植機の作業速度が1.5~1.85m/s までの場合・・・「高速」モード



散布目盛目安表は、散布の目安です。  
圃場によって条件が変わりますので、必ず試しまきをを行い、目盛の微調整を行ってください。



### 【こまきちゃん散布目盛目安表】

#### SCS-10(井関)

株間 (cm)	条数と横送り回数 (回)																							
	4条		5条				6条				7条				8条									
	20	24	16	18	20	24	28	16	18	20	24	28	16	18	20	24	28	16	18	20	24	28		
14	1.0	1.3	1.0	1.2	1.4	1.7	2.1	1.3	1.5	1.7	2.1	2.6	1.6	1.8	2.1	2.6	3.0	1.9	2.1	2.4	3.0	3.5		
16	1.2	1.5	1.2	1.4	1.6	2.0	2.4	1.5	1.8	2.0	2.5	3.0	1.9	2.1	2.4	3.0	3.5	2.2	2.5	2.8	3.4	4.1		
18	1.4	1.8	1.4	1.6	1.9	2.3	2.8	1.8	2.0	2.3	2.9	3.4	2.1	2.4	2.8	3.4	4.0	2.5	2.9	3.2	3.9	4.6		
22	1.8	2.3	1.8	2.1	2.4	2.9	3.5	2.3	2.6	2.9	3.6	4.2	2.7	3.1	3.5	4.2	5.0	3.1	3.6	4.0	4.9	5.8		
23	1.9	2.4	1.9	2.2	2.5	3.1	3.6	2.4	2.7	3.1	3.7	4.4	2.8	3.2	3.6	4.4	5.2	3.3	3.7	4.2	5.1	6.0		
26	2.2	2.7	2.2	2.5	2.9	3.5	4.2	2.7	3.1	3.5	4.3	5.1	3.3	3.7	4.2	5.1	6.0	3.8	4.3	4.8	5.8	6.9		
30	2.6	3.2	2.6	3.0	3.4	4.1	4.9	3.2	3.7	4.1	5.0	5.9	3.8	4.3	4.9	5.9	7.0	4.4	5.0	5.6	6.8	8.0		

#### SCS-30(井関)

株間 (cm)	条数と横送り回数 (回)																							
	4条		5条				6条				7条				8条									
	20	24	16	18	20	24	28	16	18	20	24	28	16	18	20	24	28	16	18	20	24	28		
14	1.0	1.2	1.0	1.1	1.3	1.6	1.8	1.2	1.4	1.6	1.9	2.2	1.4	1.6	1.8	2.2	2.6	1.7	1.9	2.1	2.5	3.0		
16	1.2	1.4	1.2	1.3	1.5	1.8	2.1	1.4	1.6	1.8	2.2	2.5	1.7	1.9	2.1	2.5	3.0	1.9	2.2	2.4	2.9	3.4		
18	1.3	1.6	1.3	1.5	1.7	2.0	2.4	1.6	1.8	2.0	2.5	2.9	1.9	2.1	2.4	2.9	3.4	2.2	2.5	2.7	3.3	3.9		
22	1.6	2.0	1.6	1.9	2.1	2.5	2.9	2.0	2.2	2.5	3.0	3.5	2.3	2.6	2.9	3.5	4.1	2.7	3.0	3.4	4.1	4.7		
23	1.7	2.1	1.7	1.9	2.2	2.6	3.1	2.1	2.3	2.6	3.2	3.7	2.4	2.8	3.1	3.7	4.3	2.8	3.2	3.5	4.2	5.0		
26	2.0	2.4	2.0	2.2	2.5	3.0	3.5	2.4	2.7	3.0	3.6	4.2	2.8	3.1	3.5	4.2	4.9	3.2	3.6	4.0	4.8	5.6		
30	2.3	2.7	2.3	2.6	2.9	3.4	4.0	2.7	3.1	3.4	4.1	4.8	3.2	3.6	4.0	4.8	5.7	3.7	4.1	4.6	5.6	6.5		

#### CS-10(クボタ)

株間 (cm)	条数と横送り回数 (回)													
	4条			5条			6条			8条			10条	
	16	20	26	16	20	26	16	20	26	16	20	26	16	20
12	0.9	1.2	1.7	1.2	1.6	2.2	1.5	2.0	2.7	2.2	2.8	3.8	3.2	3.2
13	1.0	1.3	1.9	1.3	1.8	2.4	1.7	2.2	3.0	2.4	3.1	4.1	3.5	3.5
14	1.1	1.5	2.0	1.5	1.9	2.6	1.9	2.4	3.3	2.6	3.3	4.5	3.8	3.8
16	1.3	1.7	2.4	1.7	2.3	3.1	2.2	2.8	3.8	3.0	3.9	5.2	4.4	4.4
18	1.5	2.0	2.7	2.0	2.6	3.5	2.5	3.2	4.3	3.4	4.4	5.8	5.0	5.0
21	1.9	2.4	3.3	2.4	3.1	4.2	3.0	3.8	5.1	4.1	5.2	6.9	5.9	5.9
24	2.2	2.8	3.8	2.8	3.6	4.8	3.4	4.4	5.8	4.7	6.0	7.9	6.8	6.8

#### CS-20(クボタ)

株間 (cm)	条数と横送り回数 (回)													
	4条			5条			6条			8条			10条	
	16	20	26	16	20	26	16	20	26	16	20	26	16	20
12	0.9	1.2	1.5	1.2	1.5	1.9	1.4	1.7	2.3	1.9	2.3	3.0	2.6	2.6
13	1.0	1.3	1.6	1.3	1.6	2.0	1.5	1.9	2.5	2.0	2.5	3.3	2.8	2.8
14	1.1	1.4	1.8	1.4	1.7	2.2	1.6	2.0	2.7	2.2	2.7	3.5	3.1	3.1
16	1.2	1.5	2.0	1.5	1.9	2.5	1.9	2.3	3.0	2.5	3.1	4.1	3.5	3.5
18	1.4	1.7	2.3	1.7	2.2	2.8	2.1	2.6	3.4	2.8	3.5	4.6	3.9	3.9
21	1.6	2.0	2.7	2.0	2.6	3.3	2.4	3.1	4.0	3.3	4.1	5.3	4.6	4.6
24	1.9	2.3	3.0	2.3	2.9	3.8	2.8	3.5	4.6	3.7	4.7	6.1	5.3	5.3
30	2.3	2.9	3.8	2.9	3.7	4.8	3.5	4.4	5.7	4.7	5.9	7.6	6.6	6.6

#### CS-30(クボタ)

株間 (cm)	条数と横送り回数 (回)													
	4条			5条			6条			8条			10条	
	16	20	26	16	20	26	16	20	26	16	20	26	16	20
12	0.9	1.2	1.5	1.2	1.5	2.0	1.4	1.8	2.4	1.9	2.4	3.2	2.7	2.7
13	1.0	1.3	1.7	1.3	1.6	2.1	1.5	2.0	2.6	2.1	2.6	3.4	3.0	3.0
14	1.1	1.4	1.8	1.4	1.7	2.3	1.7	2.1	2.8	2.3	2.8	3.7	3.2	3.2
16	1.3	1.6	2.1	1.6	2.0	2.6	1.9	2.4	3.2	2.6	3.3	4.3	3.7	3.7
18	1.4	1.8	2.4	1.8	2.3	3.0	2.2	2.7	3.6	2.9	3.7	4.8	4.1	4.1
21	1.7	2.1	2.8	2.1	2.7	3.5	2.5	3.2	4.2	3.4	4.3	5.6	4.8	4.8
24	1.9	2.4	3.2	2.4	3.0	4.0	2.9	3.7	4.8	3.9	4.9	6.4	5.6	5.6
30	2.4	3.0	4.0	3.0	3.8	5.0	3.7	4.6	6.0	4.9	6.2	8.1	7.0	7.0

#### CS-100(クボタ)

株間 (cm)	5条	6条	8条
14	1.7	2.1	2.8
16	2.0	2.4	3.2
18	2.2	2.7	3.6
21	2.6	3.1	4.2
24	3.0	3.6	4.8
30	3.8	4.5	6.1

### 【こまきちゃんmini散布目盛目安表】

クボタ乗用田植機[ZP43L,45L](植付条数4)用

株間 (cm)	株数 (株/3.3m <sup>2</sup> )	横送り回数			
		20回		26回	
株間 (cm)	株数 (株/3.3m <sup>2</sup> )	計量 (g)	ポリリューム (目安)	計量 (g)	ポリリューム (目安)
14	80	33	3.0~3.5	43	4.0~4.5
16	70	38	3.5~4.0	49	4.5~5.0
18	60	43	4.0~4.5	55	5.0~5.5
21	50	50	4.5~5.0	65	5.5~6.0
24	45	57	5.0~5.5	74	6.0~6.5
28	40	67	5.5~6.0	86	7.5~8.0

クボタ乗用田植機[ZP50L](植付条数5)用

株間 (cm)	株数 (株/3.3m <sup>2</sup> )	横送り回数			
		20回		26回	
株間 (cm)	株数 (株/3.3m <sup>2</sup> )	計量 (g)	ポリリューム (目安)	計量 (g)	ポリリューム (目安)
14	80	42	4.0~4.5	54	5.0~5.5
16	70	48	4.5~5.0	62	5.5~6.0
18	60	54	5.0~5.5	70	6.0~6.5
21	50	63	5.5~6.0	81	7.0~7.5
24	45	72	6.0~6.5	93	8.0~8.5
28	40	84	7.5~8.0	109	9.5~10.0

\*実際の田植機には設定の無い欄がある場合があります。

**注意** 散布目盛目安表は、散布の目安です。  
**注意** 圃場によって条件が変わりますので、必ず試しまきをを行い、目盛の微調整を行ってください。



## 【イノベーターⅡ/まくべえⅡ 散布目盛目安表(MGT-500A)】

条数	株間 (cm)	横送り回数							
		16	18	20	22	24	26	28	30
4条植え	12	2.5 ~ 3.0	3.0 ~ 3.5	3.0 ~ 3.5	3.0 ~ 3.5	3.0 ~ 3.5	3.0 ~ 3.5	3.5 ~ 4.0	3.5 ~ 4.0
	14	3.0 ~ 3.5	3.0 ~ 3.5	3.0 ~ 3.5	3.0 ~ 3.5	3.5 ~ 4.0	3.5 ~ 4.0	3.5 ~ 4.0	3.5 ~ 4.0
	18	3.0 ~ 3.5	3.5 ~ 4.0	3.5 ~ 4.0	3.5 ~ 4.0	3.5 ~ 4.0	4.0 ~ 4.5	4.0 ~ 4.5	4.0 ~ 4.5
	22	3.5 ~ 4.0	3.5 ~ 4.0	4.0 ~ 4.5	4.0 ~ 4.5	4.0 ~ 4.5	4.0 ~ 4.5	4.0 ~ 4.5	4.5 ~ 5.0
	24	3.5 ~ 4.0	3.5 ~ 4.0	4.0 ~ 4.5	4.0 ~ 4.5	4.0 ~ 4.5	4.0 ~ 4.5	4.5 ~ 5.0	4.5 ~ 5.0
	25	3.5 ~ 4.0	4.0 ~ 4.5	4.0 ~ 4.5	4.0 ~ 4.5	4.0 ~ 4.5	4.5 ~ 5.0	4.5 ~ 5.0	4.5 ~ 5.0
	28	4.0 ~ 4.5	4.0 ~ 4.5	4.0 ~ 4.5	4.0 ~ 4.5	4.5 ~ 5.0	4.5 ~ 5.0	4.5 ~ 5.0	5.0 ~ 5.5
5条植え	12	3.0 ~ 3.5	3.0 ~ 3.5	3.0 ~ 3.5	3.5 ~ 4.0	3.5 ~ 4.0	3.5 ~ 4.0	3.5 ~ 4.0	4.0 ~ 4.5
	14	3.0 ~ 3.5	3.0 ~ 3.5	3.5 ~ 4.0	3.5 ~ 4.0	3.5 ~ 4.0	4.0 ~ 4.5	4.0 ~ 4.5	4.0 ~ 4.5
	18	3.5 ~ 4.0	3.5 ~ 4.0	4.0 ~ 4.5	4.0 ~ 4.5	4.0 ~ 4.5	4.0 ~ 4.5	4.5 ~ 5.0	4.5 ~ 5.0
	22	4.0 ~ 4.5	4.0 ~ 4.5	4.0 ~ 4.5	4.0 ~ 4.5	4.5 ~ 5.0	4.5 ~ 5.0	4.5 ~ 5.0	5.0 ~ 5.5
	24	4.0 ~ 4.5	4.0 ~ 4.5	4.0 ~ 4.5	4.5 ~ 5.0	4.5 ~ 5.0	4.5 ~ 5.0	5.0 ~ 5.5	5.0 ~ 5.5
	25	4.0 ~ 4.5	4.0 ~ 4.5	4.0 ~ 4.5	4.5 ~ 5.0	4.5 ~ 5.0	5.0 ~ 5.5	5.0 ~ 5.5	5.0 ~ 5.5
	28	4.0 ~ 4.5	4.5 ~ 5.0	4.5 ~ 5.0	4.5 ~ 5.0	5.0 ~ 5.5	5.0 ~ 5.5	5.5 ~ 6.0	5.5 ~ 6.0
6条植え	12	3.0 ~ 3.5	3.5 ~ 4.0	3.5 ~ 4.0	3.5 ~ 4.0	3.5 ~ 4.0	4.0 ~ 4.5	4.0 ~ 4.5	4.5 ~ 5.0
	14	3.5 ~ 4.0	3.5 ~ 4.0	3.5 ~ 4.0	4.0 ~ 4.5	4.0 ~ 4.5	4.0 ~ 4.5	4.0 ~ 4.5	4.5 ~ 5.0
	18	3.5 ~ 4.0	4.0 ~ 4.5	4.0 ~ 4.5	4.0 ~ 4.5	4.5 ~ 5.0	4.5 ~ 5.0	4.5 ~ 5.0	4.5 ~ 5.0
	22	4.0 ~ 4.5	4.0 ~ 4.5	4.5 ~ 5.0	4.5 ~ 5.0	4.5 ~ 5.0	5.0 ~ 5.5	5.0 ~ 5.5	5.5 ~ 6.0
	24	4.0 ~ 4.5	4.5 ~ 5.0	4.5 ~ 5.0	4.5 ~ 5.0	5.0 ~ 5.5	5.0 ~ 5.5	5.5 ~ 6.0	5.5 ~ 6.0
	25	4.0 ~ 4.5	4.5 ~ 5.0	4.5 ~ 5.0	5.0 ~ 5.5	5.0 ~ 5.5	5.5 ~ 6.0	5.5 ~ 6.0	6.0 ~ 6.5
	28	4.5 ~ 5.0	4.5 ~ 5.0	5.0 ~ 5.5	5.0 ~ 5.5	5.5 ~ 6.0	5.5 ~ 6.0	6.0 ~ 6.5	6.0 ~ 6.5
7条植え	12	3.5 ~ 4.0	3.5 ~ 4.0	3.5 ~ 4.0	4.0 ~ 4.5	4.0 ~ 4.5	4.0 ~ 4.5	4.0 ~ 4.5	4.5 ~ 5.0
	14	3.5 ~ 4.0	4.0 ~ 4.5	4.0 ~ 4.5	4.0 ~ 4.5	4.0 ~ 4.5	4.5 ~ 5.0	4.5 ~ 5.0	4.5 ~ 5.0
	18	4.0 ~ 4.5	4.0 ~ 4.5	4.5 ~ 5.0	4.5 ~ 5.0	4.5 ~ 5.0	5.0 ~ 5.5	5.0 ~ 5.5	5.0 ~ 5.5
	22	4.0 ~ 4.5	4.5 ~ 5.0	4.5 ~ 5.0	5.0 ~ 5.5	5.0 ~ 5.5	5.5 ~ 6.0	5.5 ~ 6.0	6.0 ~ 6.5
	24	4.5 ~ 5.0	4.5 ~ 5.0	5.0 ~ 5.5	5.0 ~ 5.5	5.5 ~ 6.0	5.5 ~ 6.0	6.0 ~ 6.5	6.0 ~ 6.5
	25	4.5 ~ 5.0	4.5 ~ 5.0	5.0 ~ 5.5	5.5 ~ 6.0	5.5 ~ 6.0	6.0 ~ 6.5	6.0 ~ 6.5	6.5 ~ 7.0
	28	4.5 ~ 5.0	5.0 ~ 5.5	5.5 ~ 6.0	5.5 ~ 6.0	6.0 ~ 6.5	6.5 ~ 7.0	6.5 ~ 7.0	7.0 ~ 7.5
8条植え	12	3.5 ~ 4.0	3.5 ~ 4.0	4.0 ~ 4.5	4.0 ~ 4.5	4.0 ~ 4.5	4.0 ~ 4.5	4.5 ~ 5.0	4.5 ~ 5.0
	14	4.0 ~ 4.5	4.0 ~ 4.5	4.0 ~ 4.5	4.0 ~ 4.5	4.5 ~ 5.0	4.5 ~ 5.0	4.5 ~ 5.0	5.0 ~ 5.5
	18	4.0 ~ 4.5	4.5 ~ 5.0	4.5 ~ 5.0	4.5 ~ 5.0	5.0 ~ 5.5	5.0 ~ 5.5	5.5 ~ 6.0	5.5 ~ 6.0
	22	4.5 ~ 5.0	4.5 ~ 5.0	5.0 ~ 5.5	5.5 ~ 6.0	5.5 ~ 6.0	6.0 ~ 6.5	6.0 ~ 6.5	6.5 ~ 7.0
	24	4.5 ~ 5.0	5.0 ~ 5.5	5.5 ~ 6.0	5.5 ~ 6.0	6.0 ~ 6.5	6.0 ~ 6.5	6.5 ~ 7.0	7.0 ~ 7.5
	25	4.5 ~ 5.0	5.0 ~ 5.5	5.5 ~ 6.0	5.5 ~ 6.0	6.0 ~ 6.5	6.5 ~ 7.0	6.5 ~ 7.0	7.0 ~ 7.5
	28	5.0 ~ 5.5	5.5 ~ 6.0	6.0 ~ 6.5	6.0 ~ 6.5	6.5 ~ 7.0	7.0 ~ 7.5	7.0 ~ 7.5	7.5 ~ 8.0
10条植え	12	4.0 ~ 4.5	4.0 ~ 4.5	4.0 ~ 4.5	4.5 ~ 5.0	4.5 ~ 5.0	4.5 ~ 5.0	5.0 ~ 5.5	5.0 ~ 5.5
	14	4.0 ~ 4.5	4.5 ~ 5.0	4.5 ~ 5.0	4.5 ~ 5.0	5.0 ~ 5.5	5.0 ~ 5.5	5.5 ~ 6.0	5.5 ~ 6.0
	18	4.5 ~ 5.0	4.5 ~ 5.0	5.0 ~ 5.5	5.5 ~ 6.0	5.5 ~ 6.0	6.0 ~ 6.5	6.0 ~ 6.5	6.5 ~ 7.0
	22	5.0 ~ 5.5	5.5 ~ 6.0	5.5 ~ 6.0	6.0 ~ 6.5	6.5 ~ 7.0	6.5 ~ 7.0	7.0 ~ 7.5	7.0 ~ 7.5
	24	5.0 ~ 5.5	5.5 ~ 6.0	6.0 ~ 6.5	6.5 ~ 7.0	7.0 ~ 7.5	7.0 ~ 7.5	7.5 ~ 8.0	7.5 ~ 8.0
	25	5.5 ~ 6.0	6.0 ~ 6.5	6.0 ~ 6.5	6.5 ~ 7.0	7.0 ~ 7.5	7.0 ~ 7.5	7.5 ~ 8.0	7.5 ~ 8.0
	28	6.0 ~ 6.5	6.0 ~ 6.5	6.0 ~ 6.5	7.0 ~ 7.5	7.5 ~ 8.0	7.5 ~ 8.0	8.0 ~ 8.5	8.0 ~ 8.5



散布目盛目安表は、散布の目安です。

圃場によって条件が変わりますので、必ず試しまきを行い、目盛の微調整を行ってください。



## 【イノベーターII/まくべえII 散布目盛目安表 (MGT-800A)】

条数	株間 (cm)	横送り回数								
		16	18	20	22	24	26	28	30	
4条植え	12	1.0 ~ 1.5	1.0 ~ 1.5	1.0 ~ 1.5	1.5 ~ 2.0	1.5 ~ 2.0	1.5 ~ 2.0	1.5 ~ 2.0	1.5 ~ 2.0	1.5 ~ 2.0
	14	1.0 ~ 1.5	1.5 ~ 2.0	1.5 ~ 2.0	1.5 ~ 2.0	1.5 ~ 2.0	1.5 ~ 2.0	1.5 ~ 2.0	2.0 ~ 2.5	2.0 ~ 2.5
	18	1.5 ~ 2.0	1.5 ~ 2.0	1.5 ~ 2.0	2.0 ~ 2.5	2.0 ~ 2.5	2.0 ~ 2.5	2.0 ~ 2.5	2.5 ~ 3.0	2.5 ~ 3.0
	22	1.5 ~ 2.0	2.0 ~ 2.5	2.0 ~ 2.5	2.5 ~ 3.0	2.5 ~ 3.0	2.5 ~ 3.0	2.5 ~ 3.0	2.5 ~ 3.0	3.0 ~ 3.5
	24	2.0 ~ 2.5	2.0 ~ 2.5	2.0 ~ 2.5	2.5 ~ 3.0	2.5 ~ 3.0	3.0 ~ 3.5	3.0 ~ 3.5	3.0 ~ 3.5	3.0 ~ 3.5
	25	2.0 ~ 2.5	2.0 ~ 2.5	2.5 ~ 3.0	2.5 ~ 3.0	2.5 ~ 3.0	3.0 ~ 3.5	3.0 ~ 3.5	3.0 ~ 3.5	3.0 ~ 3.5
	28	2.0 ~ 2.5	2.5 ~ 3.0	2.5 ~ 3.0	2.5 ~ 3.0	3.0 ~ 3.5	3.0 ~ 3.5	3.5 ~ 4.0	3.5 ~ 4.0	3.5 ~ 4.0
5条植え	12	1.0 ~ 1.5	1.5 ~ 2.0	1.5 ~ 2.0	1.5 ~ 2.0	1.5 ~ 2.0	2.0 ~ 2.5	2.0 ~ 2.5	2.0 ~ 2.5	2.0 ~ 2.5
	14	1.5 ~ 2.0	1.5 ~ 2.0	1.5 ~ 2.0	2.0 ~ 2.5	2.0 ~ 2.5	2.0 ~ 2.5	2.0 ~ 2.5	2.5 ~ 3.0	2.5 ~ 3.0
	18	1.5 ~ 2.0	2.0 ~ 2.5	2.0 ~ 2.5	2.5 ~ 3.0	2.5 ~ 3.0	2.5 ~ 3.0	2.5 ~ 3.0	3.0 ~ 3.5	3.0 ~ 3.5
	22	2.0 ~ 2.5	2.5 ~ 3.0	2.5 ~ 3.0	2.5 ~ 3.0	3.0 ~ 3.5	3.0 ~ 3.5	3.0 ~ 3.5	3.0 ~ 3.5	3.5 ~ 4.0
	24	2.0 ~ 2.5	2.5 ~ 3.0	2.5 ~ 3.0	3.0 ~ 3.5	3.0 ~ 3.5	3.0 ~ 3.5	3.0 ~ 3.5	3.5 ~ 4.0	3.5 ~ 4.0
	25	2.5 ~ 3.0	2.5 ~ 3.0	3.0 ~ 3.5	3.0 ~ 3.5	3.0 ~ 3.5	3.5 ~ 4.0	3.5 ~ 4.0	3.5 ~ 4.0	3.5 ~ 4.0
	28	2.5 ~ 3.0	3.0 ~ 3.5	3.0 ~ 3.5	3.0 ~ 3.5	3.5 ~ 4.0	3.5 ~ 4.0	3.5 ~ 4.0	4.0 ~ 4.5	4.0 ~ 4.5
6条植え	12	1.5 ~ 2.0	1.5 ~ 2.0	1.5 ~ 2.0	2.0 ~ 2.5	2.0 ~ 2.5	2.0 ~ 2.5	2.0 ~ 2.5	2.5 ~ 3.0	2.5 ~ 3.0
	14	1.5 ~ 2.0	2.0 ~ 2.5	2.0 ~ 2.5	2.0 ~ 2.5	2.5 ~ 3.0	2.5 ~ 3.0	2.5 ~ 3.0	2.5 ~ 3.0	3.0 ~ 3.5
	18	2.0 ~ 2.5	2.5 ~ 3.0	2.5 ~ 3.0	2.5 ~ 3.0	3.0 ~ 3.5	3.0 ~ 3.5	3.0 ~ 3.5	3.0 ~ 3.5	3.5 ~ 4.0
	22	2.5 ~ 3.0	2.5 ~ 3.0	3.0 ~ 3.5	3.0 ~ 3.5	3.5 ~ 4.0	3.5 ~ 4.0	3.5 ~ 4.0	3.5 ~ 4.0	4.0 ~ 4.5
	24	2.5 ~ 3.0	3.0 ~ 3.5	3.0 ~ 3.5	3.5 ~ 4.0	3.5 ~ 4.0	3.5 ~ 4.0	4.0 ~ 4.5	4.0 ~ 4.5	4.5 ~ 5.0
	25	2.5 ~ 3.0	3.0 ~ 3.5	3.0 ~ 3.5	3.5 ~ 4.0	3.5 ~ 4.0	4.0 ~ 4.5	4.0 ~ 4.5	4.0 ~ 4.5	4.5 ~ 5.0
	28	3.0 ~ 3.5	3.0 ~ 3.5	3.5 ~ 4.0	3.5 ~ 4.0	4.0 ~ 4.5	4.0 ~ 4.5	4.5 ~ 5.0	4.5 ~ 5.0	5.0 ~ 5.5
7条植え	12	1.5 ~ 2.0	2.0 ~ 2.5	2.0 ~ 2.5	2.0 ~ 2.5	2.5 ~ 3.0	2.5 ~ 3.0	2.5 ~ 3.0	2.5 ~ 3.0	3.0 ~ 3.5
	14	2.0 ~ 2.5	2.0 ~ 2.5	2.5 ~ 3.0	2.5 ~ 3.0	2.5 ~ 3.0	3.0 ~ 3.5	3.0 ~ 3.5	3.0 ~ 3.5	3.0 ~ 3.5
	18	2.5 ~ 3.0	2.5 ~ 3.0	3.0 ~ 3.5	3.0 ~ 3.5	3.0 ~ 3.5	3.5 ~ 4.0	3.5 ~ 4.0	3.5 ~ 4.0	3.5 ~ 4.0
	22	2.5 ~ 3.0	3.0 ~ 3.5	3.0 ~ 3.5	3.5 ~ 4.0	3.5 ~ 4.0	4.0 ~ 4.5	4.5 ~ 5.0	4.5 ~ 5.0	4.5 ~ 5.0
	24	3.0 ~ 3.5	3.0 ~ 3.5	3.5 ~ 4.0	3.5 ~ 4.0	4.0 ~ 4.5	4.0 ~ 4.5	4.5 ~ 5.0	4.5 ~ 5.0	5.0 ~ 5.5
	25	3.0 ~ 3.5	3.5 ~ 4.0	3.5 ~ 4.0	4.0 ~ 4.5	4.0 ~ 4.5	4.5 ~ 5.0	5.0 ~ 5.5	5.0 ~ 5.5	5.0 ~ 5.5
	28	3.5 ~ 4.0	3.5 ~ 4.0	4.0 ~ 4.5	4.5 ~ 5.0	4.5 ~ 5.0	5.0 ~ 5.5	5.0 ~ 5.5	5.5 ~ 6.0	5.5 ~ 6.0
8条植え	12	2.0 ~ 2.5	2.0 ~ 2.5	2.0 ~ 2.5	2.5 ~ 3.0	2.5 ~ 3.0	3.0 ~ 3.5	3.0 ~ 3.5	3.0 ~ 3.5	3.0 ~ 3.5
	14	2.0 ~ 2.5	2.5 ~ 3.0	2.5 ~ 3.0	2.5 ~ 3.0	3.0 ~ 3.5	3.0 ~ 3.5	3.5 ~ 4.0	3.5 ~ 4.0	3.5 ~ 4.0
	18	2.5 ~ 3.0	3.0 ~ 3.5	3.0 ~ 3.5	3.5 ~ 4.0	3.5 ~ 4.0	3.5 ~ 4.0	4.0 ~ 4.5	4.0 ~ 4.5	4.5 ~ 5.0
	22	3.0 ~ 3.5	3.5 ~ 4.0	3.5 ~ 4.0	4.0 ~ 4.5	4.0 ~ 4.5	4.5 ~ 5.0	5.0 ~ 5.5	5.0 ~ 5.5	5.0 ~ 5.5
	24	3.0 ~ 3.5	3.5 ~ 4.0	4.0 ~ 4.5	4.0 ~ 4.5	4.5 ~ 5.0	5.0 ~ 5.5	5.0 ~ 5.5	5.0 ~ 5.5	5.5 ~ 6.0
	25	3.5 ~ 4.0	3.5 ~ 4.0	4.0 ~ 4.5	4.5 ~ 5.0	5.0 ~ 5.5	5.0 ~ 5.5	5.5 ~ 6.0	5.5 ~ 6.0	5.5 ~ 6.0
	28	3.5 ~ 4.0	4.0 ~ 4.5	4.5 ~ 5.0	5.0 ~ 5.5	5.0 ~ 5.5	5.5 ~ 6.0	6.0 ~ 6.5	6.0 ~ 6.5	6.0 ~ 6.5
10条植え	12	2.0 ~ 2.5	2.5 ~ 3.0	2.5 ~ 3.0	3.0 ~ 3.5	3.0 ~ 3.5	3.0 ~ 3.5	3.5 ~ 4.0	3.5 ~ 4.0	3.5 ~ 4.0
	14	2.5 ~ 3.0	3.0 ~ 3.5	3.0 ~ 3.5	3.0 ~ 3.5	3.5 ~ 4.0	3.5 ~ 4.0	4.0 ~ 4.5	4.0 ~ 4.5	4.0 ~ 4.5
	18	3.0 ~ 3.5	3.5 ~ 4.0	3.5 ~ 4.0	4.0 ~ 4.5	4.5 ~ 5.0	4.5 ~ 5.0	5.0 ~ 5.5	5.0 ~ 5.5	5.5 ~ 6.0
	22	3.5 ~ 4.0	4.0 ~ 4.5	4.5 ~ 5.0	5.0 ~ 5.5	5.0 ~ 5.5	5.5 ~ 6.0	6.0 ~ 6.5	6.0 ~ 6.5	6.0 ~ 6.5
	24	4.0 ~ 4.5	4.5 ~ 5.0	5.0 ~ 5.5	5.0 ~ 5.5	5.5 ~ 6.0	6.0 ~ 6.5	6.0 ~ 6.5	6.0 ~ 6.5	6.5 ~ 7.0
	25	4.0 ~ 4.5	4.5 ~ 5.0	5.0 ~ 5.5	5.5 ~ 6.0	5.5 ~ 6.0	6.0 ~ 6.5	6.5 ~ 7.0	6.5 ~ 7.0	6.5 ~ 7.0
	28	4.5 ~ 5.0	5.0 ~ 5.5	5.5 ~ 6.0	6.0 ~ 6.5	6.0 ~ 6.5	6.5 ~ 7.0	7.0 ~ 7.5	7.0 ~ 7.5	7.0 ~ 7.5

試験はイノベーターII (MGT-800A)で実施